

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	97	count\$3 with number with breakpoint	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/13 13:29
S11	122	count\$3 with (number quantity time) with breakpoint	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/13 13:49
S12	22	count\$3 adj (number quantity time) with breakpoint	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/12/13 13:50
S13	25	("5012180"   "5047926"   "5367550"   "5572667"   "5717851"   "5724505"   "5737516"   "5793776"   "5812562"   "5875294"   "5896415"   "5915083"   "6026501"   "6134652"   "6331957"   "6345298"   "6351724"   "6408412"   "6425101"   "6430727"   "6457108"   "6467009"   "6522985"   "6557116"   "6598178").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 14:39
S14	13	save with breakpoint with (number quantity time count)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 14:42
S15	209	breakpoint with (number quantity time count) with register	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 14:42
S16	29	breakpoint with (number quantity time count) near3 variable	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:19
S17	39	(subsequent later further) near3 run same debug\$4	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:19
S18	1	breakpoint with (subsequent later further) near3 run	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:20
S19	4	breakpoint same (subsequent later further) near3 run	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 16:04
S20	72	breakpoint adj table	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:23
S21	1	breakpoint adj table with save	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:23
S22	3	breakpoint adj table with sav\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:24

S23	31	breakpoint adj table with (sav\$3 stor\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:25
S24	3	breakpoint adj table with (sav\$3 stor\$3) with count\$2	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 15:25
S25	21	breakpoint same (after) near3 run	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/13 16:25
S26	222	(717/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 16:26
S27	515	(sav\$3 stor\$3) near3 breakpoint	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 16:26
S28	56	S26 and S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 16:26
S29	0	(sav\$3 stor\$3) near3 (breakpoint watchpoint) with next adj (run execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 07:55
S30	16	(sav\$3 stor\$3) near3 (breakpoint watchpoint) with next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 07:55
S31	14	("5050168").URPN.	USPAT	OR	ON	2005/12/14 08:08
S32	0	breakpoint with "pass count"	USPAT	OR	ON	2005/12/14 08:08
S33	447	"pass count"	USPAT	OR	ON	2005/12/14 08:08
S34	222	(717/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 08:09
S35	0	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:15

S36	564	breakpoint with (range loop)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:15
S37	32	breakpoint with (range loop) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:24
S38	1	(reset clear) with (breakpoint watchpoint) with (range loop) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:32
S39	109937	(reset clear) with count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:40
S40	222	(717/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/14 09:32
S41	23	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:32
S42	11152	(reset clear) with count\$3 with (range loop address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:40
S43	4	S40 and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/14 09:40